ELSEVIER

Journal of Electron Spectroscopy and Related Phenomena 76 (1995) vii–xiii

JOURNAL OF ELECTRON SPECTROSCOPY and Related Phenomena

Contents

Special Issue: Proceedings of the Sixth International Conference on Electron Spectroscopy, Rome, Italy, 19–23 June 1995

Foreword xv

Committees xvi

List of participants xvii

Electron spectroscopy into the twenty-first century*
D.A. Shirley (Pennsylvania State University, University Park, PA, USA), B.L. Petersen and M.R. Howells (Lawrence Berkeley Laboratory, Berkeley, CA, USA) 1

X-ray photo-electron spectromicroscopy*
F. Cerrina (University of Wisconsin-Madison, WI 53706, USA) 9

Combined electron and ion spectroscopy with synchrotron radiation of free metal atoms and ions*
M. Richter (Technische Universität Berlin, Berlin, Germany) 21

Structural surface investigation with low energy backscattered electrons*
M. De Crescenzi, R. Gunnella and I. Davoli (Università di Camerino, Camerino, Italy) 29

Electronic and geometric structure of small mass selected clusters*
G. Ganteför, Chia-Yen Cha, H. Handschuh, G. Schulze Icking-Konert, B. Kessler, O. Gunnarsson and W. Eberhardt (Institut für Festkörperforschung der KFA-Jülich, Jülich, Germany) 37

The ab-initio simulation of Auger spectra*
F. Tarantelli (Università di Perugia, Perugia, Italy), L.S. Cederbaum (Universität Heidelberg, Heidelberg, Germany) and A. Sgamellotti (Università di Perugia, Perugia, Italy) 47

Circular dichroism from non-chiral and non-magnetic materials observed with display-type spherical mirror analyzer*
H. Daimon, T. Nakatani, S. Imada and S. Suga (Osaka University, Osaka, Japan) 55

Investigation of double photoionisation dynamics in molecules using coincidence techniques*
P. Lablanquie (Université Paris-Sud, Orsay, France) 63

Electronically induced dynamics in surface layers*
D. Menzel (Technische Universität München, Garching, Germany) 73

Direct methods for adsorbate structure determination using photoelectron diffraction
O. Schaff, Ph. Hofmann, C.J. Hirschmugl, A. Theobald, V. Fernandez, K.-M. Schindler, A.M. Bradshaw (Fritz-Haber-Institut der Max-Planck-Gesellschaft, Berlin (Dahlem), Germany), N. Booth, R. Davis and D.P. Woodruff (University of Warwick, Coventry, United Kingdom) 85

Chloride formation and photoreduction on the Cu(100) surface. A study by X-ray photoelectron spectroscopy and low energy ion scattering
M. Galeotti, B. Cortigiani, U. Bardi (Università di Firenze, Florence, Italy), B.V. Andryushechkin, A.N. Klimov and K.N. El'tsov (Russian Academy of Sciences, Moscow, Russia) 91

Enhancement of circular dichroism in photoemission from adsorbates by photoelectron diffraction
G.H. Fecher, A. Oelsner, Ch. Ostertag and G. Schönhense (Institut für Physik, Mainz, Germany) 97

The nature of the background in transmission (e,2e) experiments
M. Vos, P. Storer, A.S. Kheifets, I.E. McCarthy and E. Weigold (Flinders University of South Australia, Adelaide, Australia) 103

Reflection (e,2e) experiments: a novel surface spectroscopy
S. Iacobucci (Istituto di Metodologie Avanzate Inorganiche del CNR, Monterotondo Scalo, Italy), L. Marassi (Università di Modena, Modena, Italy), R. Camilloni (Istituto di Metodologie Avanzate Inorganiche del CNR, Monterotondo Scalo, Italy), B. Marzilli (Università di Roma, Rome, Italy), S. Nannarone (Università di Modena, Modena, Italy) and G. Stefani (Università di Roma, Rome, Italy) 109

Resonant interaction of low energy electrons with intramolecular vibrations in solid C_{60}
K. Hevesi, C.-A. Fustin, P. Rudolf, L.-M. Yu, B.-Y. Han, G. Gensterblum, P.A. Thiry, J.-J. Pireaux and R. Caudano (Facultés Universitaires Notre-Dame de la Paix, Namur, Belgium) 115

* Invited paper.

Angle-resolved photoemission of quasi-one-dimensional metals: evidence for Luttinger liquid behavior
R. Claessen (Universität des Saarlandes, Saarbrücken, Germany), G.-H. Gweon (Univeristy of Michigan, Ann Arbor, MI, USA), F. Reinert (Universität des Saarlandes, Saarbrücken, Germany), J.W. Allen (University of Michigan, Ann Arbor, MI, USA), W.P. Ellis (Los Alamos National Laboratory, Los Alamos, NM, USA), Z.X. Shen (Stanford University, Stanford, CA, USA), C.G. Olson (Iowa State University, IA, USA), L.F. Schneemeyer (AT&T Bell Laboratories, Murray Hill, NJ, USA) and F. Lévy (École Polytechnique Fédérale de Physique Appliquée, Lausanne, Switzerland) 121
Structure and Fermi surface mapping of a modulation-free Pb–Bi–Sr–Ca–Cu–O high-temperature superconductor
P. Schwaller (Universität Zürich-Irchel, Zürich, Switzerland), P. Aebi (Université de Fribourg, Fribourg, Switzerland), H. Berger, (Institut de Physique Appliquée, EPFL, Lausanne, Switzerland), C. Beeli (Centre Interdépartemental de Microscopie Electronique, EPFL, Lausanne, Switzerland), J. Osterwalder (Universität Zurich-Irchel, Zürich, Switzerland) and L. Schlapbach (Universite de Fribourg, Fribourg, Switzerland) 127
A MDS study of the Yb/GaAs(110) interface
L. Pasquali, P. Fantini, S. Nannarone (Università di Modena, Modena, Italy), M. Canepa and L. Mattera (Università di Genova, Genoa, Italy) 133
Surface core level shifts in III–V semiconductors: a high resolution photoemission study
C. Ottaviani, M. Capozi, C. Quaresima, M. Matteucci, C. Crotti, P. Perfetti (ISM-CNR, Frascati, Italy), C. Astaldi, M. Zacchigna, C. Comicioli, M. Evans and K.C. Prince (Trieste, Italy) 139
Time resolved core level photoemission experiments with synchrotron radiation
A. Baraldi, M. Barnaba, B. Brena, D. Cocco, G. Comelli, S. Lizzit, G. Paolucci, R. Rosei (Trieste, Italy) 145
Interchannel coupling effects in the resonant scattering of low-energy electrons from molecular targets
F.A. Gianturco (The University of Rome, Rome, Italy) and R.R. Lucchese (Texas A&M University, TX, USA) 151
Angular distribution and spin polarization of Auger electrons following photoionization by polarized X-rays
P. Rennert (Martin-Luther-University Halle, Halle (Saale), Germany), Yu.N. Kucherenko (Institute of Metal Physics, Kiev, Ukraine) 157
Studies of reactive intermediates with photoelectron spectroscopy using synchrotron radiation: initial results on $SO(X^3\Sigma^-)$
J.M. Dyke, D. Haggerston, A. Morris (The University, Southampton, UK), S. Stranges ("La Sapienza" University of Rome, Rome, Italy), J.B. West, T.G. Wright and A.E. Wright (The University, Southampton, UK) 165
Inner-shell d excitation in gas phase heavy-metal halides by synchrotron radiation photoemission and ab initio CI calculations
S. Stranges (Università di Roma "La Sapienza", Rome, Italy), M. de Simone (Potenza, Italy), M.Y. Adam (Université de Paris-Sud, Orsay, France), P. Decleva, A. Lisini (Università degli Studi di Trieste, Trieste, Italy), C. Cauletti (Università di Roma "La Sapienza", Rome, Italy), M.N. Piancastelli (Università di Roma "Tor Vergata", Rome, Italy) and C. Furlani (III Università di Roma, Rome, Italy) 171
Spin resolved inverse photoemission of ferromagnets: Fe(100)
S. De Rossi and F. Ciccacci (Politecnico di Milano, Milan, Italy) 177
Interfacial magnetism studied by MCD in 4f photoemission: Eu/Gd(0001)
E. Arenholz, K. Starke and G. Kaindl (Freie Universität Berlin, Berlin-Dahlem, Germany) 183
LMDAD as a surface magnetometry
G. Panaccione (CNRS-CEA-MESR, France), F. Sirotti (Zürich, Switzerland) and G. Rossi (CNRS-CEA-MESR, France) 189
The multi-surface structure and catalytic properties of partially reduced WO_3, WO_2 and $WC + O_2$ or $W + O_2$ as characterized by XPS
A. Katrib, F. Hemming, P. Wehrer, L. Hilaire and G. Maire (Strasbourg, France) 195
Oxidation of carbon monoxide and ethylene on Pd(001)-C(2 × 2)Mn
Kai Wu, Runsheng Zhai (Dalian Institute of Chemical Physics, Dalian, China), Jinfeng Jia (Beijing Institute of High Energy Physics, Beijing, China), Sihua Lu (Peking University, Beijing, China) and Sicheng Wu (Beijing Institute of High Energy Physics, Beijing, China) 201
Photoemission from large-nuclearity copper-selenide clusters
D. van der Putten, D. Olevano, R. Zanoni (Università degli Studi di Roma "La Sapienza", Rome , Italy), H. Krautscheid and D. Fenske (Universität Karlsruhe, Karlsruhe, Germany) 207
Determination of two-dimensional structures of ultrathin films of H_2- and Cu-phthalocyanine on MoS_2 by angle-resolved ultraviolet photoemission and low energy electron diffraction
K. Kamiya, M. Momose, A. Kitamura, Y. Harada, N. Ueno (Chiba University, Chiba, Japan), S. Hasegawa, T. Miyazaki, H. Inokuchi (Institute for Molecular Science, Okazaki, Japan), S. Narioka, H. Ishii and K. Seki (Nagoya University, Nagoya, Japan) 213
Metal phthalocyanines (MPc, M = Ni, Cu) on Cu(001) and Si(001) surfaces studied by XPS, XAS and STM
G. Dufour, C. Poncey, F. Rochet, H. Roulet (Paris, France), S. Iacobucci, M. Sacchi, F. Yubero (Université Paris Sud, Orsay, France), N. Motta, M.N. Piancastelli, A. Sgarlata (Università di Roma "Tor Vergata", Rome, Italy) and M. De Crescenzi (Università di Camerino, Camerino, Italy) 219
Angular distribution and spin-polarisation of Auger electrons
U. Hergenhahn and U. Becker (Fritz-Haber-Institut der Max-Planck-Gesellschaft, Berlin, Germany) 225

Parameterization of angular correlations in double photoionization to the neon $2p^4\ ^1S^e$ ionic state
S.J. Schaphorst, B. Krässig, O. Schwarzkopf, N. Scherer, V. Schmidt (Universität Freiburg, Freiburg, Germany), P. Lablanquie (Université Paris Sud, Orsay, France), L. Andric, J. Mazeau and A. Huetz (Université Pierre et Marie Curie, Paris, France) 229
A dedicated electron spectrometer for photoionization studies of atomic ions with synchtrotron radiation
B. Rouvellou, J.M. Bizau, D. Cubaynes, L. Journel, S. Al Moussalami and F.J. Wuilleumier (Université Paris-Sud, Orsay, France) 237
Electron impact excitation and ionization of laser-excited Na atoms
A. Dorn, C. Winnewisser, M. Metzstein, J. Nienhaus (Universität Freiburg, Freiburg, Germany), A.N. Grum-Grzhimailo (Moscow State University, Moscow, Russia), O.I. Zatsarinny (Academy of Science, Uzhgorod, Ukraine) and W. Mehlhorn (Universität Freiburg, Freiburg, Germany) 245
Observation of doubly charged atomic and molecular states by threshold photoelectron coincidence spectroscopy
G.C. King (Manchester University, Manchester, UK), L. Avaldi (Monterotondo, Italy), G. Dawber (Manchester University, Manchester, UK), G. Stefani (III Università di Roma, Rome, Italy), M. Zitnik (Monterotondo, Italy), M.A. MacDonald (SERC, Daresbury Laboratory, Warrington, UK) and R.I. Hall (Université P. et M. Curie, Paris, France) 253
Structure of ultrathin films of chloroaluminium phthalocyanine on MoS_2 studied by means of Penning ionization electron spectroscopy, angle-resolved UPS and LEED
M. Aoki, S. Masuda (The University of Tokyo, Tokyo, Japan), Y. Einaga, K. Kamiya, A. Kitamura, M. Momose, N. Ueno, Y. Harada (Chiba University, Chiba, Japan), T. Miyazaki, S. Hasegawa, H. Inokuchi (Institute for Molecular Science, Okazaki, Japan) and K. Seki (Nagoya University, Nagoya, Japan) 259
Theoretical photoemission line shapes and many body correlations
A. Bödicker and W. Schattke (Universität Kiel, Kiel, Germany) 265
Adsorption of ethylene on Si(111)7 × 7 by synchrotron radiation photoemission
M. Carbone, R. Zanoni (Università di Roma "La Sapienza", Rome, Italy), M.N. Piancastelli (Università di Roma "Tor Vergata", Rome, Italy), G. Comtet, G. Dujardin, L. Hellner and A. Mayne (Université Paris Sud, Orsay, France) . . . 271
Gas-phase valence photoelectron spectra of Ni(II) acetylacetonate with synchrotron radiation
C. Cauletti (Università di Roma "La Sapienza", Rome, Italy), M. de Simone (Tito Scalo, PZ, Italy), S. Stranges (Università di Roma "La Sapienza", Rome, Italy), M.N. Piancastelli (Università di Roma "Tor Vergata", Rome, Italy), M.-Y. Adam (Université de Paris Sud, Orsay, France), F. Cirilli and A. Ianniello (Università di Roma "La Sapienza", Rome, Italy) . . . 277
Avrami's kinetic approach for describing Volmer Weber growth mode at solid surfaces studied via PES and AES
M. Fanfoni and M. Tomellini (Università di Roma "Tor Vergata", Rome, Italy) 283
Investigation of alkali metals and noble gases adsorbed on transition metals using circular dichroism in angular resolved photoemission
G.H. Fecher, A. Oelsner, Ch. Ostertag and G. Schönhense (Johannes Gutenberg-Universität, Mainz, Germany) . . . 289
Theoretical autoionization spectra of $1s \rightarrow \pi^*$ excited N_2 and N_2O
R. Fink (Ruhr-Universität Bochum, Bochum, Germany) 295
Electron spectroscopy studies of small deposited metal particles
A. Sandell, J. Libuda (Ruhr-Universität Bochum, Bochum, Germany), P. Brühwiler, S. Andersson, A. Maxwell (Uppsala University, Uppsala, Sweden), M. Bäumer (Ruhr-Universität Bochum, Bochum, Germany), N. Mårtensson (Uppsala University, Uppsala, Sweden) and H.-J. Freund (Ruhr-Universität Bochum, Bochum, Germany) 301
Calculating triply ionized states of molecules by Green's functions: carbon monoxide
G. Handke, F. Tarantelli, A. Sgamellotti (Università di Perugia, Perugia, Italy) and L.S. Cederbaum (Universität Heidelberg, Heidelberg, Germany) 307
Total reflection X-ray photoelectron spectroscopy
J. Kawai (Kyoto University, Kyoto, Japan), S. Hayakawa (The University of Tokyo, Tokyo, Japan), Y. Kitajima (The National Laboratory for High Energy Physics, Tsukuba, Japan), K. Maeda (The Institute of Physical and Chemical Research, Saitama, Japan) and Y. Gohshi (The University of Tokyo, Tokyo, Japan) 313
The effect of final state screening changes on alloy energy shifts
G.G. Kleiman and R. Landers (Universidade Estadual de Campinas, São Paulo, Brazil) 319
Low-energy Auger spectra of Ar and Kr emitted in cascade decays after inner shell ionization
A.G. Kochur and V.L. Sukhorukov (Rostov State University of Transport Communications, Rostov-na-Donu, Russia) 325
Statistical description of shake satellites in Auger spectra. Oxygen and carbon Auger spectra of the CO molecule
A.G. Kochur, V.L. Sukhorukov, V.F. Demekhin and S.A. Novikov (Rostov State University of Transport Communications, Rostov-na-Donu, Russia) 329
The dependence of the atomic core potential on valence charge for Cu
Yu.N. Kucherenko, A.Ya Yaresko, (National Academy of Sciences of Ukraine, Kiev, Ukraine), G. Cubiotti (Sezione di Fisica Teorica, S. Agata di Messina, Italy), P. Weightman and R.J. Cole (University of Liverpool, Liverpool, United Kingdom) 333
Manifestation of FISCI effects in the total and differential cross sections of the correlation satellites in the rare gases Kr and Xe
B.M. Lagutin, I.D. Petrov, V.L. Sukhorukov (Rostov State University of Transport Communications, Rostov-na-Donu, Russia), S.B. Whitfield (University of Nevada, Las Vegas, NV, USA), B. Langer, N. Berrah (Western Michigan

University, Kalamazoo, MI, USA) and U. Becker (Fritz-Haber-Institut der Max-Planck-Gesselschaft, Berlin, Germany) . . . 337
Spectator vacancy contributions to the $L_{2,3}M_{4,5}M_{4,5}$ Auger spectra of Pd and Rh: satellites as images of the main spectrum
R. Landers, G.G. Kleiman and S.G.C. de Castro (Universidade Estadual de Campinas, São Paulo, Brazil) . . . 345
Photoelectron holography: prospects and limitations of direct methods
P.M. Len, F. Zhang, S. Thevuthasan, A.P. Kaduwela (University of California at Davis, Davis, CA, USA), M.A. Van Hove (Lawrence Berkeley National Laboratory, Berkeley, CA, USA) and C.S. Fadley (University of California at Davis, Davis, CA, USA) . . . 351
Angle-resolved metastable atom electron spectra of Xe layers formed on graphite
S. Masuda (The University of Tokyo, Tokyo, Japan) . . . 359
Auger parameter and Wagner plot in the characterization of chemical states: initial and final state effects
G. Moretti (Università di Roma "La Sapienza", Rome, Italy) . . . 365
Electronic excited states of NO/Cu(111) studied with two-photon photoemission
T. Munakata (The Institute of Physical and Chemical Research, Saitama 351-01, Japan) . . . 371
Design and preparation of an organic monoatomic layer
H. Ozaki (Tokyo University of Agriculture and Technology, Tokyo, Japan) . . . 377
CO adsorption on Pd: an XPS and density functional approach
L. Pedocchi, M.R. Ji (Florence, Italy), S. Lizzit, G. Comelli (Trieste, Italy) and G. Rovida (University of Science and Technology of China, Hefei, China) . . . 383
Many-electron correlations in the photoionization of the $np^5(n+1)s\ ^3P_0$ and $^3P_2$ metastable states of the Ar and Kr atoms
I.D. Petrov, V.L. Sukhorukov and B.M. Lagutin (Rostov State University of Transport Communications, Rostov-na-Donu, Russia) . . . 389
Evolution of Auger peaks in GaP(110) with hydrogen chemisorption
A.M. Prandini, A. Ruocco and S. Nannarone (Università di Modena, Modena, Italy) . . . 393
Noise removal from Auger images by using adaptive binomial filter
C. Battistoni, S. Kačiulis, G. Mattogno and G. Righini (CNR, Monterotondo Scalo, Italy) . . . 399
Inverse photoemission studies of C_{60} on Au(110)
M. Pedio, M.L. Grilli, C. Ottaviani, M. Capozi, C. Quaresima, P. Perfetti (Istituto di Struttura della Materia del Consiglio Nazionale delle Ricerche, Frascati, Italy), P.A. Thiry, R. Caudano and P. Rudolf (Facultés Universitaires Notre-Dame de la Paix, Namur, Belgium) . . . 405
Spectator Auger transitions of the 1s hole states in ionic sulfur compounds and molecular chlorine compounds
T.A. Sasaki, Y. Baba, K. Yoshii and H. Yamamoto (Japan Atomic Energy Research Institute, Ibaraki, Japan) . . . 411
Structures at liquid surfaces studied by core electron spectroscopy
H.O.G. Siegbahn and S. Södergren (University of Uppsala, Uppsala, Sweden) . . . 417
Resonance structure of the photoionization cross sections of the Kr atom in the energy region between single and double ionization thresholds
V.L. Sukhorukov, B.M. Lagutin, I.D. Petrov (Rostov State University of Transport Communications, Rostov-na-Donu, Russia), H. Schmoranzer, A. Ehresmann, F. Vollweiler (Universität Kaiserslautern, Kaiserslautern, Germany) and K.-H. Schartner (Universität Giessen, Giessen, Germany) . . . 421
Monte Carlo modelling of the backscattered electron spectra of silver at the 200 eV and 2 keV primary electron energies
K. Tökési, D. Varga, L. Köver (Institute of Nuclear Research of the Hungarian Academy of Sciences, Debrecen, Hungary) and T. Mukoyama (Kyoto University, Kyoto, Japan) . . . 427
Design of an electrostatic electron spectrometer for simultaneous energy and angular distribution measurements
D. Varga, K. Tökési and I. Rajta (Institute of Nuclear Research of the Hungarian Academy of Sciences, Debrecen, Hungary) . . . 433
Synchrotron radiation-induced Fe deposition on Si from organometallic precursors: comparison with Fe silicides obtained by solid-phase epitaxy
R. Zanoni, (Università di Roma "La Sapienza", Rome, Italy), M.N. Piancastelli (Università di Roma "Tor Vergata", Rome, Italy), M. De Santis, F. Sirotti (Université Paris-Sud, Orsay, France) and G. Rossi (Laboratorium für Fertkörper Physik, Zürich, Switzerland) . . . 437
Photoelectron escape depth
J. Zemek, S. Hucek (Academy of Sciences, Prague, Czech Republic), A. Jablonski and I.S. Tilinin (Polish Academy of Sciences, Warsaw, Poland) . . . 443
Electron energy loss study of Ag– and Au–GaAs(110) interfaces
F. Arciprete, S. Colonna, M. Fanfoni, F. Patella and A. Balzarotti (Università di Roma "Tor Vergata", Rome, Italy) . 449
Growth mechanism and epitaxy of ultra-thin cobalt films on Pd(001)
H. Giordano, A. Atrei, G. Rovida, M. Torrini and U. Bardi (Università di Firenze, Florence, Italy) . . . 455
Space charge layer at metal/InSb(110) interfaces
M.G. Betti, V. Martinelli, R. Biagi, U. del Pennino and C. Mariani (Università di Modena, Modena, Italy) . . . 459
Electronic properties of (1xn)-reconstructed Bi/InSb(110) interfaces
M.G. Betti, D. Berselli and C. Mariani (Università di Modena, Modena, Italy) . . . 465

Interdiffusion and segregation in the growth of thin Fe films on Ag(100); an ARUPS–MDS study
M. Canepa, M. Salvietti, A. Campora and L. Mattera (Università di Genova, Genoa, Italy) 471
Effects of barrier height inhomogeneity on semiconductors core level photoemission line shape
R. Cimino, A. Giarante (Laboratori Nazionali di Frascati dell'INFN, Frascati, Italy), K. Horn (Fritz-Haber-Institut der MPG, Berlin, Germany) and M. Pedio (Istituto di Struttura della Materia del CNR, Frascati, Italy) 477
Electronic states on clean Si(110)16 × 2 and Si(110)2 × 3-Sb surfaces by photoemission and optical spectroscopy
A. Cricenti, P. Perfetti (Istituto di Struttura della Materia, CNR, Frascati, Italy), B. Nesterenko (Institute of Semiconductor Physics, Kiev, Ukraine), G. Le Lay (CRMC2, Campus de Luminy, Marseille, France) and C. Sebenne (Université P. et M. Curie, Paris, France) 481
Structure factor in photoemission from valence band
H. Daimon, S. Imada, H. Nishimoto and S. Suga (Osaka University, Osaka, Japan) 487
Incident beam effects in AED (Auger electron diffraction): the case of Cu(001)
I. Davoli, R. Gunnella, P. Castrucci, R. Bernardini and M. De Crescenzi (Università di Camerino, Camerino, Italy) . 493
Cr, Sn and Ag/SnO_2 interface formation studied by synchrotron radiation induced UPS
P. De Padova (CNR-ISM, Frascati, Italy) R. Larciprete (ENEA, Frascati, Italy) M. Mangiantini and M. Fanfoni (Università di Roma "Tor Vergata", Rome, Italy) 499
Spin polarized photoemission from thin GaAs photocathodes
E. Pelucchi, S. De Rossi and F. Ciccacci (Politecnico di Milano, Milan, Italy) 505
AES and USXES investigations of the phase transformation in the surface layers of V–Si/SiO_2/Si thin films structure stimulated by oxygen annealing
E.P. Domashevskaya, Yu.A. Yurakov, G.A. Veligura and S.A. Bocharov (Voronezh State University, Voronezh, Russia) 511
Sensitivity of the valence states upon rare earth substitution in intermetallic compounds
L. Duò, L. Mazzolari, P. Vavassori (Politecnico di Milano, Milan, Italy) and M. Richter (Univ. of Technology, Dresden, Germany) 517
Surface molecular structure of self-assembled alkanethiols by UPS, synchrotron radiation and HREELS
A.-S. Duwez, J. Riga, J. Ghijsen, J.J. Pireaux, J.J. Verbist and J. Delhalle (FUNDP, Namur, Belgium) 523
Properties of the Al–Ag surface alloy across the phase diagram
M. Erbudak, M. Hochstrasser and E. Wetli (Zürich, Switzerland) 529
Temperature-dependent study of the partially filled surface state on Tb(0001)
F. Hübinger, C. Schüßler-Langeheine, A.V. Fedorov, K. Starke, E. Weschke, A. Höhr, S. Vandré and G. Kaindl (Freie Universität Berlin, Berlin-Dahlem, Germany) 535
Surface electronic structure at Si(100)-(2 × 1)
L. Gavioli, M.G. Betti (Università di Modena, Modena, Italy), A. Cricenti and C. Mariani (Istituto di Struttura della Materia, Frascati, Italy) 541
Electron correlation in MnO(100): a comparison of SXAPS and CEELS spectra
Ch. Henig, C. Untiet and H. Merz (Westfälische Wilhelms-Universität, Münster, Germany) 547
Angle-resolved ultraviolet photoelectron spectroscopy of oriented film of model compound of poly(*p*-phenylene): wavenumber (*k*) conservation and *k*-blurring in a system with small number of repeating units
H. Ishii (Institute for Molecular Science, Okatodi, Japan), K. Edamatsu (Hiroshima University, Higashi-Hiroshima, Japan), K. Kamiya (Chiba University, Chiba, Japan), S. Hasegawa (Institute for Molecular Science, Otatadu, Japan), T. Ohta (The University of Tokyo, Tokyo, Japan), N. Ueno (Chiba University, Chiba, Japan) and K. Seki (Nagoya University, Nagoya, Japan) 553
The electronic structure and energy level alignment of porphyrin/metal interfaces studied by ultraviolet photoelectron spectroscopy
H. Ishii (Institute for Molecular Science, Okazaki, Japan), S. Narioka, D. Yoshimura, M. Sei, Y. Ouchi, S. Hasegawa, T. Miyazaki (Nagoya University, Nagoya, Japan), Y. Harima, K. Yamashita (Hiroshima University, Higashi-Hiroshima, Japan) and K. Seki (Nagoya University, Nagoya, Japan) 559
Analysis of the XPS and optical reflectivity spectra of the chemically etched Si(111) surfaces
R.J. Iwanowski and J.W. Sobczak (Polish Academy of Sciences, Warsaw, Poland) 565
Thermal effects on photoemission spectra of lanthanide metals
E. Weschke, A. Höhr, S. Vandré, C. Schüßler-Langeheine, F. Bødker and G. Kaindl (Freie Universität Berlin, Berlin-Dahlem, Germany) 571
Photoemission study of thin and ultrathin oxide films on transition metals surfaces
O.M. Kanunnikova and F.Z. Gil'mutdinov (Physical-Technical Institute, Izhevsk, Russia) 577
3d-Resonant photo- and Auger emission of Ce in CeO_2
A. Maiste, A. Kikas, R. Ruus, A. Saar, A. Ausmees and M. Elango (Estonian Academy of Sciences, Tartu, Estonia). 583
Appearance of crystal-field splitting in 2p-resonant electron spectra of K^+ in ionic solids
T. Fondén, A. Kikas, R. Ruus, A. Saar and M. Elango (Estonian Academy of Sciences, Tartu, Estonia) 589
A new spectroscopic method for determination of energy distribution of interface states in the semiconductor band-gap
H. Kobayashi, T. Kubota, K. Namba, Y. Nakato (Osaka University, Osaka, Japan) and Y. Nishioka (Tsukuba Research & Development Center, Tsukuba, Ibaraka, Japan) 595

Constant-energy surfaces of nickel near the Fermi energy: an angle-resolved ultraviolet photoemission study on Ni(110)
T.J. Kreutz (Université de Fribourg, Fribourg, Switzerland), P. Aebi, J. Osterwalder (Universität Zurich-Irchel, Zürich, Switzerland) and L. Schlapbach (Université de Fribourg, Fribourg, Switzerland) 601
Excimer laser cleaning of Si(100) surfaces at 193 and 248 nm studied by LEED, AES and XPS spectroscopies
R. Larciprete and E. Borsella (ENEA, Frascati, Italy) 607
High resolution synchrotron radiation Si 2p core-level spectroscopy of Si(110)16 × 2
A. Cricenti (Istituto di Struttura della Materia, Frascati, Italy), G. Le Lay, V.Yu. Aristov (CRMC2, Campus de Luminy, Marseille, France), B. Nesterenko (Institute of Semiconductor Physics, Kiev, Ukraine), N. Safta, J.P. Lacharme, C.A. Sebenne (Université P. et M. Curie, Paris, France), A. Taleb-Ibrahimi and G. Indlekofer (Centre Universitaire Paris-Sud, Orsay, France) 613
The energy influence of the electron excitation on the shape of X-ray electron spectra of 3d-metals valence bands
S.F. Lomaeva and I.N. Shabanova (Physico-Technical Institute, Ural Branch, Academy of Sciences, Izhevsk, Russia) 619
XPS analysis on SiO_2 sol–gel thin films
S. Santucci, S. Di Nardo, L. Lozzi, M. Passacantando and P. Picozzi (University of L'Aquila, Coppito, Italy) 623
New findings on polypyrrole chemical structure by XPS coupled to chemical derivatization labelling
C. Malitesta, I. Losito, L. Sabbatini and P.G. Zambonin (Università degli Studi, Bari, Italy) 629
On the mechanism of contrast creation in directional Auger electron spectroscopy (DAES)
S. Mróz, A. Mróz and M. Nowicki (University of Wrocław, Wrocław, Poland) 635
X-ray emission and photoelectron spectroscopy study and the electronic structure of $Dy_{1-x}Tb_xFe_2$ ($x = 0.0, 0.5, 1.0$)
V.V. Nemoshkalenko, V.N. Uvarov and S.V. Borisenko (Institute of Metal Physics NAS of Ukraine, Kiev, Ukraine) . 641
Electrons on CdTe(110) surface
B.J. Kowalski, B.A. Orłowski (Polish Academy of Sciences, Warsaw, Poland), A. Cricenti and P. Perfetti (Istituto di Struttura della Materia, Frascati, Italy) 647
Surface and interface microchemistry of archaeological objects studied with X-ray photoemission spectroscopy and scanning Auger microscopy
E. Paparazzo and L. Moretto (Istituto di Struttura della Materia, Frascati, Italy) 653
Elemental and chemical microanalysis of silicon surfaces by reflected electron energy loss microscopy and scanning Auger microscopy
E. Paparazzo (Istituto di Struttura della Materia, Frascati, Italy) 659
Properties of the Ni/Fe interface in Ni/Fe/Ni multilayers
G.B. Fratucello and A.M. Prandini (Università di Ferrara, Ferrara, Italy) 665
Electron spectroscopy on $KMnO_4$
F. Reinert, P. Steiner (Universität des Saarlandes, Saarbrücken, Germany), P. Blaha (Technische Universität Wien, Vienna, Austria), R. Claessen, R. Zimmermann and S. Hüfner (Universität des Saarlandes, Saarbrücken, Germany) 671
Surface magnetism of Fe on Ag(100): a He^* spin polarized study
M. Salvietti, R. Moroni, M. Canepa and L. Mattera (Università di Genova, Genoa, Italy) 677
Plasmon mode splitting in W/Si multilayers, detected by EELS
P. Schattschneider, T. Neyer (Technische Universität Wien, Vienna, Austria) and E. Ziegler (Grenoble, France) . . . 683
Surface structure of finely dispersed activated iron with immbolized interferon as derived from XPS
O.M. Mikhailik, Yu.V. Pankratov, I.S. Nikol'sky, Ed.A. Bakai, A.I. Senkevich and A.P. Shpak (Ukrainian National Academy of Sciences, Kiev, Ukraine) 689
Surface structure of finely dispersed iron stabilized by spontaneous adsorption as derived from XPS and ESR evidence
O.M. Mikhailik, Yu.V. Pankratov, Ed.A. Bakai (Ukrainian National Academy of Sciences, Kiev, Ukraine), A.I. Senkevich and A.P. Shpak (Ukrainian National Academy of Sciences, Kiev, Ukraine) 695
Quantitative analysis of the composition of silicon–germanium alloys by AES
E.J. Sturrock, A.G. Fitzgerald, C.W. Liu and J.A. Cairns (University of Dundee, Dundee, Scotland, UK) 703
The influence of elastic scattering in overlayers on PED from PbS single crystals
R. Szargan, I. Uhlig, T. Chassé (University of Leipzig, Leipzig, Germany), V.I. Nefedov, I.S. Fedorova and V.G. Yarzhemsky (Institute of General and Inorganic Chemistry, RAS, Moscow, Russia) 709
Electronic structure and chemical bonding of superconductor $YBa_2Cu_3O_{7-x}$
I.N. Shabanova, S.I. Kurganskii, V.I. Kukuev, O.V. Popova, N.M. Nebogatikov and V.I. Kormilets (Physico-Technical Institute, Ural Branch, Academy of Sciences, Izhevsk, Russia) 715
XPS studies of amorphous alloys
V.A. Trapeznikov, V.J. Bajankin, A.D. Bubnov and D.P. Borovkov (Physico-Technical Institute, Ural Branch, Academy of Sciences, Izhevsk, Russia) 719
Element-specific, surface and subsurface structural analysis by scattering-interference of primary electrons
S. Valeri, A. di Bona, G.C. Gazzadi and F. Borgatti (Università di Modena, Modena, Italy) 723
Inverse photoemission and photoemission spectra of the PbS(001) surface
T. Ollonqvist, T. Kaurila, M. Isokallio, M. Punkkinen and J. Väyrynen (University of Turku, Turku, Finland) 729
Resonant 3d photoemission of La and Ce around the L_3 absorption edge in LaPd and CePd
J. Vogel , H. Magnan (Centre Universitaire Paris-Sud, Orsay, France), J.-P. Kappler (IPCMS-GEMME, CNRS, Strasbourg, France), G. Krill and D. Chandesris (Centre Universitaire Paris, Sud, Orsay, France) 735

On the binding-energy shifts in molecular metal cluster compounds
D. van der Putten and R. Zanoni (Università degli Studi di Roma "La Sapienza", Rome, Italy) 741
Characterization of carbon nitride films prepared by laser reactive ablation deposition
J. Zemek (Academy of Sciences, Prague, Czech Republic), A. Luches, G. Leggieri (University of Lecce, Lecce, Italy), A. Fejfar and M. Trchova (Charles University, Prague, Czech Republic) 747
Theoretical study of optical and ultraviolet photoemission spectra of TiO_2 and VO_2 in rutile phase
O.V. Krasovska, E.E. Krasovskii, V.V. Nemoshkalenko and V.N. Antonov (National Academy of Sciences of Ukraine, Kiev, Ukraine) 753

Author index 759

Subject index 763